

PORTRAIT HINGE
 THE WORLD'S THINNEST FRAMELESS SHOWER HINGE

HEAVY DUTY **SJ1L**
 GLASS TO WALL 90° HINGE

01 **PRODUCT**


SJ1L



SJ1L shown in Chrome. Available in six finishes — see below.

03 **CUTOUT DETAIL**

Millimetres



Differs from the glass-to-glass cutout. Not interchangeable with SJ2.

02 **FEATURES**

- 01 Slimmer profile**
 Around 20% thinner than traditional shower hinges — a genuinely slimline sightline.
- 02 40% stronger**
 40% stronger than a traditional hinge — rated for wider, heavier doors up to 950 mm.
- 03 Solid brass body**
 Machined from solid brass, not zinc alloy.
- 04 Dual spring, dual action**
 Self-closing from 25°.
- 05 5.5 mm hinge plate**
 Thicker plate will not bend under tightening the way thinner hinges do.
- 06 50,000 cycles tested**
 Backed by the Portrait Hinge 3 year warranty.

≈20%	40%	50,000	3 yr
THINNER	STRONGER	CYCLES TESTED	WARRANTY

04 **SPECIFICATION**

Metric

Glass thickness	10 mm (11.52, 12 & 13.52 mm with optional shim)
Glass to wall gap	Adjustable 5 – 7 mm
Max door mass	50 kg — 2 hinges / 65 kg — 3 hinges
Max door width	950 mm
Hinge plate	5.5 mm
Self closing from	25°


05 **FINISHES**

SJ1L finish range — July 2026



06 TECHNICAL DRAWINGS

Top, front and side views. Drawn 1:1 on A4. All dimensions in millimetres.



READING THIS DRAWING

Drawn 1:1 — printed at 100% with no page scaling, the views are full size and a hinge can be checked against the page. Dimensions are nominal and subject to manufacturing tolerance; confirm the cutout on page 1 before processing glass.

PORTRAIT HINGE

THE WORLD'S THINNEST FRAMELESS SHOWER HINGE

SJ2

GLASS TO GLASS 180° HINGE

01 PRODUCT


SJ2



SJ2 shown in Chrome. Available in six finishes — see below.

03 CUTOUT DETAIL

Millimetres



Differs from the glass-to-wall cutout. Not interchangeable with SJ1L.

02 FEATURES

- 01 Slimmer profile**
30% thinner than a traditional glass-to-glass hinge — a genuinely slimline sightline.
- 02 28% stronger**
Slimmer and stronger at the same time. No trade-off between looks and load.
- 03 Solid brass body**
Machined from solid brass, not zinc alloy.
- 04 Dual spring, dual action**
Self-closing from 25°.
- 05 5.5 mm hinge plate**
Thicker plate will not bend under tightening the way thinner hinges do.
- 06 50,000 cycles tested**
Backed by the Portrait Hinge 3 year warranty.

30%
THINNER

28%
STRONGER

50,000
CYCLES
TESTED

3 yr
WARRANTY

04 SPECIFICATION

Metric

Glass thickness	10 mm only
Glass gap	Reducible by moving the door
Max door mass	45 kg — 2 hinges / 60 kg — 3 hinges
Max door width	800 mm
Hinge plate	5.5 mm
Self closing from	25°

05 FINISHES

SJ2 finish range — July 2026



BLACK



BRUSHED BRASS




BRUSHED BRONZE



BRUSHED NICKEL




CHROME



SPECIAL FINISHES

06 TECHNICAL DRAWINGS

Top and front views. Drawn 1:1 on A4. All dimensions in millimetres.



READING THIS DRAWING

Drawn 1:1 — printed at 100% with no page scaling, the views are full size and a hinge can be checked against the page. Dimensions are nominal and subject to manufacturing tolerance; confirm the cutout on page 1 before processing glass.